

Specimen Number 220-544-1062-0		Patient ID 45385267		Control Number M388921463	Account Number	Account Phone Number	Route MA
Patient Last Name [REDACTED]				Account Address Request A Test, LTD.			
Patient First Name [REDACTED]		Patient Middle Name		8748 Brecksville Rd. Ste.120 BRECKSVILLE OH 44141			
Patient SS#	Patient Phone		Total Volume	Additional information			
Age (Y/M/D) 35/06/24	Date of Birth	Sex F	Fasting Yes				
Patient Address [REDACTED]							
Date and Time Collected 08/08/11 08:23	Date Entered 08/08/11	Date and Time Reported 08/11/11 03:06ET	Physician Name	NPI	Physician ID		

Tests Ordered: HSV 1/2 PCR; Venipuncture

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
HSV 1/2 PCR					
HSV-1 DNA	Negative			Negative	01
HSV-2 DNA	Negative			Negative	01

This test was developed and its performance characteristics determined by ViroMed Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. This test is used for clinical purposes. It should not be regarded as investigational or research.

01 LA ViroMed Laboratories Inc Dir: Charles P Cartwright, PhD
6101 Blue Circle Drive, Minnetonka, MN 55343-9108
For inquiries, the physician may contact Branch: 800-762-4344 Lab: 800-582-0077

[REDACTED] 45385267 220-544-1062-0 Seq # 2958