


















A printout of a table summarizing laboratory test results from the Clalit Online website

View the results of the lab test you had.

Please note: Tests that are considered sensitive medical information are not displayed on the website. Contact the clinic to obtain them.

Ben Yosef Avisror, ID number 200560217:
Test date and time 09:30 23.06.2025

Result vs. normal range	result	Test name
4.5  11 8	8.0 K/ μ l	WBC
4.5  5.9 5.45	5.45 M/ μ l	RBC
13.5  17.5 16	16.0 g/dL	HB
41  53 46.2	46.2%	HCT
80  100 84.8	84.8 fl	MCV
26  34 29.4	29.4 pg	MCH
31  37 34.6	34.6 g/dl	MCHC
8  12.7 11.9	11.9 fl.	MPV
11  15 12.6	12.60 %	RDW-CV
150  450 241	241.0 K/ μ l	PLT
	70.0 %	NEUT%
	22.1%	LYM%
	5.7%	MONO%
	1.8%	EOS %

	0.4% BASO %
 <p>1.8 5.6 7.7</p>	5.6 K/μl NEUT.abs
 <p>1 1.8 4.8</p>	1.8 K/μl LYMP.abs
 <p>0.1 0.45 1.6</p>	0.45 K/μl MONO.abs
 <p>0 0.1 1.3</p>	0.1 K/μl EOS.abs
 <p>0 0.03 0.2</p>	0.03 K/μl BASO abs

[Details of the test results](#)





A printout of a table summarizing laboratory test results from the Clalit Online website

View the results of your lab test. Please note:

Tests that are considered sensitive medical information are not displayed on the website. Contact the clinic to receive them.

Ben Yosef Avisror, ID number 200560217: Date and time of examination 09:30 23.06.2025

Result vs. normal range	result	Test name
20  250 201	201 ng/ml	FERRITIN
0  0.5 0.14	0.14 mg/dL	C-REACTIVE PROTEIN
	0	ICTERIC
	2	HEMOLYTIC
	0	LIPEMIC

Details of the test results

C-REACTIVE PROTEIN: Tests for method change notes as of 7.6.16

Notes for HEMOLYTIC tests:
Hemolytic sampling may affect results.



A printout of a table summarizing laboratory test results from the Clalit Online website

View the results of the lab test you had.

Please note: Tests that are considered sensitive medical information are not displayed on the website. Contact the clinic to obtain them.

Ben Yosef Avisror, ID number 200560217:

Test date and time 09:30 23.06.2025

Result vs. normal range	result	Test name
	NEGATIVE 1:160	ANA TITER

[Details of the test results](#)






A printout of a table summarizing laboratory test results from the Clalit Online website

View the results of your lab test. Please note:

Tests that are considered sensitive medical information are not displayed on the website. Contact the clinic to receive them.

Ben Yosef Avisror, ID number 200560217: Date and time of examination 09:30 23.06.2025

Result vs. normal range	result	Test name
40  230 122	122.00 mg/dL IgM	
70  400 297	297 mg/dL IgA	
700  1600 1455	1455 mg/dL IgG	

[Details of the test results](#)